



UNIVERSITAT
POLITÈCNICA
DE VALÈNCIA

MU-TERM

2018 Termination Competition


Raúl Gutiérrez¹ and Salvador Lucas¹

WST, July 2018, Oxford (UK)


¹DSIC, Universitat Politècnica de València

MU-TERM 5.18 is a tool which can be used to verify a number of termination properties of variants of Term Rewriting Systems (TRSs) using different variants of the Dependency Pair (DP) Framework.

Tool Diagram (1/2)



Tool Diagram (2/2)



- **NLSOL**: NonLinear arithmetic SOLver
 - Used to generate (matrix) polynomial interpretations over \mathbb{Q} .
- **Barcelogics**: SMT Solver
 - Used to generate (matrix) polynomial interpretations over \mathbb{N} and \mathbb{Z} .
- **AGES**: Semantic-based automatic generator of logical models.
 - Used to generate piecewise (matrix) polynomial interpretations over convex polytopic domains over \mathbb{Z} .

Recent Publications

- S. Lucas, J. Meseguer, and R. Gutiérrez. [The 2D Dependency Pair Framework for conditional rewrite systems. Part I: definition and basic processors.](#) Journal of Computer and System Sciences, 96:74-106, 2018.
- S. Lucas and R. Gutiérrez. [Use of logical models for proving infeasibility in term rewriting.](#) Information Processing Letters 136, 90-95, 2018.
- S. Lucas and R. Gutiérrez. [Automatic Synthesis of Logical Models for Order-Sorted First-Order Theories.](#) Journal of Automated Reasoning, 60:465-501, 2018.

Results in Termination Competition 2018

Category	Position	Solved
TRS Standard	4th	832/1498
SRS Standard	5th	136/1541
TRS Equational	2nd	63/76
TRS Conditional	1st	101/117
TRS Context-Sensitive	1st	101/108
TRS Innermost	2nd	208/366

Conclusions and Future Work

- Most successful tool for proving termination of conditional TRSs and context-sensitive TRSs.
- In the TRS Conditional category we integrated the generation of convex polytopic domains using AGES.
- In our next version we want to fully integrate AGES in the rest of categories.